

## **STRUX® 90/40**

### Synthetic Macro Fiber Reinforcement

**A plant that builds durable metal homes gets a concrete floor that's just as tough**



**The Safeguard Building Products manufacturing and warehouse facility**  
Hattiesburg, Mississippi

In the southeastern U.S. and especially the Gulf Coast region, high winds and wet weather can wreak havoc on wood homes. Driven by the increased demand for more durable homes, Andrew Marshall, owner of Safeguard Building Products, needed a new plant for manufacturing his company's metal studs and wind-resistant metal homes. And with the new facility, he

needed a high performance floor that would stand up to the rigors his busy operation.

To ensure he got a durable concrete floor that would minimize shrinkage and cracking, he turned to Doug Lambeth at Southeastern Concrete Company. Drawing on his years of experience working with admixtures, Lambeth proposed an innovative concrete mix that would provide the results Marshall wanted—without the need for costly rebar or wire mesh reinforcement. Then Grace's Engineering Services Group worked with the owner's structural engineer to help put any doubts to rest. To design the optimal mix, the team also relied on Grace's Slab On Ground Software – a valuable tool that helped determine the best dosages for the 2,500-yard concrete pour.

The specialized 4,000 p.s.i. mix included Grace's STRUX® 90/40 synthetic macro fiber

"We're really happy the way this concrete has performed – the cost of the admixtures was definitely worth the expenditure. That's important when you're looking at the numbers – this admixture in lieu of steel and the labor costs of placing steel definitely worked out in the plus."

**Andrew Marshall**  
Owner, Safeguard Building Products

reinforcement, an alternative to rebar or welded wire mesh, that maximizes crack control and durability. In addition, Eclipse® Floor shrinkage reducing admixture was added to minimize shrinkage and cracking during drying and enable extended joint spacing, and ADVA® 140M was used as a mid-range water reducer for pumpability and workability. The result was a mix that made believers of everyone involved.

“I really thought the heavy dose of fiber in the mix was going to be a problem from a pumpability standpoint, but it didn’t cause us any grief at all,” said the contractor, Harry LeBlanc of Cajun Concrete Services. “We pumped and finished the concrete just the way it was all planned out on paper.”

The floor was finished with a laser screed, cut the same day, and covered with a vapor barrier after placement for seven days to maintain the desired moisture level. “Even with our early entry soft cut sawing, we didn’t see any cracking at all,” added LeBlanc. “I thought that was pretty phenomenal.”

“It’s just a great mix to pour,” noted Marshall. “We got set times that were totally accurate, the

“The whole admixture worked like a champ. The pumpability, the consistent slumps, the set times – everything went according to spec and I think the owner’s going to be thrilled with the longevity of the floor.”

**Harry LeBlanc**  
**Cajun Concrete Services Inc.**

performance we needed, and the mix enabled us to extend control joints to as far as 25 feet which worked better with our column spacing and helped our design team.” The extended spacing also meant lower labor costs since fewer joints needed to be cut and maintained.

[www.graceconstruction.com](http://www.graceconstruction.com)

**North America Customer Service: 1-877-4AD-MIX1 (1-877-423-6491)**

STRUX 90/40, ECLIPSE and ADVA are registered trademarks of W. R. Grace & Co.–Conn.

We hope the information here will be helpful. It is based on data and knowledge considered to be true and accurate and is offered for the users’ consideration, investigation and verification, but we do not warrant the results to be obtained. Please read all statements, recommendations or suggestions in conjunction with our conditions of sale, which apply to all goods supplied by us. No statement, recommendation or suggestion is intended for any use which would infringe any patent or copyright. W. R. Grace & Co.–Conn., 62 Whittemore Avenue, Cambridge, MA 02140. In Canada, Grace Canada, Inc. 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6.

This product may be covered by patents or patents pending.  
STRUX-51 Printed in U.S.A. 11/07



To help eliminate cracking while providing the durability needed, the 8-inch-thick slab floor was created using Grace’s STRUX® 90/40, Eclipse Floor®, and ADVA® 140M.



Caption text or description for photo above. Caption text or description for photo above

In fact, the owner was so pleased with the hard work of everyone on the job, that at the end of each workday, he had a barbecue to feed everyone on the site. Asked whether he’d use the mix design in the future, Marshall responded simply, “I don’t think I’d pour concrete again without it. That’s how well I think it performed.”

#### PROJECT CREDITS:

**Owner:** Safeguard Building Products, Hattiesburg MS

**Concrete Supplier:** Southeastern Concrete Company, Hattiesburg MS

**Contractor:** Cajun Concrete Services Inc., Boutte LA

**Admixtures/Fibers:** Grace Construction Products

**GRACE**

Copyright 2007. W. R. Grace & Co.–Conn.  
ESD/LI/2.5M