

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL						
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member		1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x Wt.	W/D					
9/16	1	1 1/8	1 3/4	2 1/4	W4 x 13	0.670	9/16	7/8	1	1 7/16	2 1/4
9/16	1	1 1/8	1 13/16	2 1/4	W5 x 16	0.664	9/16	7/8	1	1 7/16	2 1/4
9/16	15/16	1 1/16	1 5/8	2 1/16	W5 x 19	0.776	9/16	13/16	15/16	1 5/16	2 1/16
3/4	1 1/4	1 7/16	2 1/4	2 7/8	W6 x 9	0.398	3/4	1 1/8	1 1/4	1 13/16	2 7/8
3/4	1 1/8	1 5/16	2	2 9/16	W6 x 12	0.526	3/4	1	1 1/8	1 5/8	2 9/16
11/16	1 1/8	1 5/16	2	2 9/16	W6 x 15	0.521	11/16	1	1 1/8	1 5/8	2 9/16
9/16	1	1 1/8	1 3/4	2 1/4	W6 x 16	0.684	9/16	7/8	1	1 7/16	2 1/4
9/16	1	1 1/8	1 3/4	2 1/4	W6 x 20	0.678	9/16	7/8	1	1 7/16	2 1/4
1/2	7/8	1	1 9/16	2	W6 x 25	0.839	1/2	3/4	7/8	1 1/4	2
3/4	1 5/16	1 1/2	2 5/16	2 15/16	W8 x 10	0.375	3/4	1 1/8	1 5/16	1 7/8	2 15/16
11/16	1 3/16	1 5/16	2 1/16	2 5/8	W8 x 13	0.483	11/16	1	1 3/16	1 11/16	2 5/8
5/8	1 1/8	1 1/4	1 15/16	2 1/2	W8 x 15	0.551	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/16	1 1/4	1 7/8	2 7/16	W8 x 18	0.583	5/8	15/16	1 1/16	1 1/2	2 7/16
9/16	1	1 1/8	1 3/4	2 1/4	W8 x 21	0.675	9/16	7/8	1	1 7/16	2 1/4
9/16	1	1 1/8	1 3/4	2 3/16	W8 x 24	0.704	9/16	7/8	1	1 3/8	2 3/16
1/2	7/8	1	1 9/16	2	W8 x 28	0.819	1/2	3/4	7/8	1 1/4	2
9/16	15/16	1 1/16	1 5/8	2 1/16	W8 x 31	0.803	9/16	13/16	15/16	1 5/16	2 1/16
1/2	7/8	1	1 1/2	1 15/16	W8 x 35	0.907	1/2	3/4	7/8	1 3/16	1 15/16
7/16	13/16	7/8	1 3/8	1 3/4	W8 x 40	1.030	7/16	11/16	13/16	1 1/8	1 3/4
7/16	11/16	13/16	1 1/4	1 5/8	W8 x 48	1.210	7/16	5/8	11/16	1	1 5/8
3/8	5/8	3/4	1 1/8	1 7/16	W8 x 58	1.440	3/8	9/16	5/8	7/8	1 7/16
3/8	9/16	11/16	1	1 5/16	W8 x 67	1.650	3/8	1/2	9/16	13/16	1 5/16
3/4	1 5/16	1 7/16	2 1/4	2 7/8	W10 x 12	0.392	3/4	1 1/8	1 5/16	1 13/16	2 7/8
11/16	1 3/16	1 5/16	2 1/16	2 5/8	W10 x 15	0.484	11/16	1	1 3/16	1 11/16	2 5/8
5/8	1 1/8	1 1/4	2	2 1/2	W10 x 17	0.543	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/16	1 3/16	1 7/8	2 3/8	W10 x 19	0.607	5/8	15/16	1 1/16	1 1/2	2 3/8
5/8	1 1/16	1 3/16	1 7/8	2 3/8	W10 x 22	0.606	5/8	15/16	1 1/16	1 1/2	2 3/8
9/16	1	1 1/8	1 3/4	2 3/16	W10 x 26	0.708	9/16	7/8	1	1 3/8	2 3/16
9/16	15/16	1 1/16	1 5/8	2 1/16	W10 x 30	0.809	9/16	13/16	15/16	1 5/16	2 1/16
9/16	15/16	1 1/16	1 5/8	2 1/16	W10 x 33	0.786	9/16	13/16	15/16	1 5/16	2 1/16
1/2	13/16	15/16	1 1/2	1 7/8	W10 x 39	0.929	1/2	3/4	13/16	1 3/16	1 7/8
7/16	3/4	7/8	1 3/8	1 3/4	W10 x 45	1.060	7/16	11/16	3/4	1 1/8	1 3/4
1/2	13/16	15/16	1 7/16	1 13/16	W10 x 49	1.010	1/2	11/16	13/16	1 1/8	1 13/16
7/16	3/4	7/8	1 5/16	1 11/16	W10 x 54	1.110	7/16	5/8	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 9/16	W10 x 60	1.220	7/16	5/8	11/16	1	1 9/16
3/8	11/16	3/4	1 1/8	1 7/16	W10 x 68	1.380	3/8	9/16	11/16	15/16	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W10 x 77	1.540	3/8	1/2	5/8	7/8	1 3/8
3/8	9/16	5/8	1	1 1/4	W10 x 88	1.740	3/8	1/2	9/16	13/16	1 1/4
3/8	1/2	9/16	7/8	1 1/8	W10 x 100	1.970	3/8	7/16	1/2	3/4	1 1/8
3/8	1/2	9/16	13/16	1 1/16	W10 x 112	2.170	3/8	7/16	1/2	11/16	1 1/16
3/4	1 1/4	1 7/16	2 1/4	2 7/8	W12 x 14	0.405	3/4	1 1/16	1 1/4	1 13/16	2 7/8
11/16	1 3/16	1 3/8	2 1/8	2 11/16	W12 x 16	0.457	11/16	1 1/16	1 3/16	1 11/16	2 11/16
5/8	1 1/8	1 1/4	2	2 1/2	W12 x 19	0.540	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/16	1 3/16	1 7/8	2 3/8	W12 x 22	0.623	5/8	7/8	1 1/16	1 1/2	2 3/8
5/8	1 1/16	1 3/16	1 7/8	2 3/8	W12 x 26	0.612	5/8	15/16	1 1/16	1 1/2	2 3/8
9/16	1	1 1/8	1 3/4	2 3/16	W12 x 30	0.699	9/16	7/8	1	1 3/8	2 3/16
9/16	15/16	1 1/16	1 5/8	2 1/16	W12 x 35	0.810	9/16	13/16	15/16	1 5/16	2 1/16
1/2	7/8	1	1 9/16	2	W12 x 40	0.860	1/2	3/4	7/8	1 1/4	2
1/2	13/16	15/16	1 7/16	1 13/16	W12 x 45	0.974	1/2	11/16	13/16	1 3/16	1 13/16
7/16	3/4	7/8	1 3/8	1 3/4	W12 x 50	1.060	7/16	11/16	3/4	1 1/8	1 3/4
1/2	13/16	15/16	1 3/8	1 13/16	W12 x 53	1.020	1/2	11/16	13/16	1 1/8	1 13/16
7/16	3/4	7/8	1 5/16	1 11/16	W12 x 58	1.100	7/16	11/16	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	W12 x 65	1.110	7/16	5/8	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 9/16	W12 x 72	1.230	7/16	5/8	11/16	1	1 9/16
3/8	11/16	3/4	1 3/16	1 1/2	W12 x 79	1.340	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	11/16	1 1/8	1 3/8	W12 x 87	1.470	3/8	9/16	5/8	7/8	1 3/8
3/8	9/16	11/16	1 1/16	1 5/16	W12 x 96	1.610	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	5/8	15/16	1 1/4	W12 x 106	1.770	3/8	1/2	9/16	3/4	1 1/4
3/8	1/2	9/16	7/8	1 1/8	W12 x 120	1.990	3/8	7/16	1/2	11/16	1 1/8
3/8	1/2	9/16	13/16	1 1/16	W12 x 136	2.230	3/8	7/16	1/2	11/16	1 1/16
3/8	7/16	1/2	3/4	15/16	W12 x 152	2.450	3/8	3/8	7/16	5/8	15/16
3/8	3/8	7/16	11/16	7/8	W12 x 170	2.720	3/8	3/8	3/8	9/16	7/8

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL						
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member		1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x Wt.	W/D					
3/8	3/8	7/16	5/8	13/16	W12 x 190	3.000	3/8	3/8	3/8	1/2	13/16
3/8	3/8	3/8	5/8	3/4	W12 x 210	3.270	3/8	3/8	3/8	1/2	3/4
3/8	3/8	3/8	9/16	11/16	W12 x 230	3.550	3/8	3/8	3/8	7/16	11/16
3/8	3/8	3/8	1/2	11/16	W12 x 252	3.840	3/8	3/8	3/8	7/16	11/16
3/8	3/8	3/8	1/2	5/8	W12 x 279	4.190	3/8	3/8	3/8	3/8	5/8
3/8	3/8	3/8	7/16	9/16	W12 x 305	4.490	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	9/16	W12 x 336	4.850	3/8	3/8	3/8	3/8	9/16
11/16	1 1/8	1 5/16	2	2 9/16	W14 x 22	0.534	11/16	1	1 1/8	1 5/8	2 9/16
5/8	1 1/16	1 3/16	1 13/16	2 5/16	W14 x 26	0.628	5/8	7/8	1 1/16	1 1/2	2 5/16
5/8	1	1 3/16	1 13/16	2 5/16	W14 x 30	0.644	5/8	7/8	1	1 7/16	2 5/16
9/16	15/16	1 1/8	1 11/16	2 3/16	W14 x 34	0.725	9/16	13/16	15/16	1 3/8	2 3/16
9/16	15/16	1 1/16	1 5/8	2 1/16	W14 x 38	0.809	9/16	13/16	15/16	1 5/16	2 1/16
1/2	7/8	1	1 9/16	1 15/16	W14 x 43	0.874	1/2	3/4	7/8	1 1/4	1 15/16
1/2	13/16	15/16	1 7/16	1 13/16	W14 x 48	0.970	1/2	11/16	13/16	1 3/16	1 13/16
7/16	3/4	7/8	1 3/8	1 3/4	W14 x 53	1.060	7/16	11/16	3/4	1 1/8	1 3/4
7/16	3/4	7/8	1 5/16	1 11/16	W14 x 61	1.100	7/16	11/16	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 9/16	W14 x 68	1.220	7/16	5/8	11/16	1	1 9/16
3/8	11/16	3/4	1 3/16	1 1/2	W14 x 74	1.320	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	3/4	1 1/8	1 7/16	W14 x 82	1.450	3/8	9/16	5/8	7/8	1 7/16
3/8	11/16	3/4	1 3/16	1 1/2	W14 x 90	1.310	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	3/4	1 1/8	1 7/16	W14 x 99	1.430	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/16	1 5/16	W14 x 109	1.570	3/8	1/2	5/8	7/8	1 5/16
3/8	9/16	5/8	1	1 1/4	W14 x 120	1.710	3/8	1/2	9/16	13/16	1 1/4
3/8	1/2	5/8	15/16	1 3/16	W14 x 132	1.890	3/8	7/16	1/2	3/4	1 3/16
3/8	1/2	9/16	7/8	1 1/8	W14 x 145	1.990	3/8	7/16	1/2	11/16	1 1/8
3/8	1/2	9/16	13/16	1 1/16	W14 x 159	2.160	3/8	7/16	1/2	11/16	1 1/16
3/8	7/16	1/2	3/4	1	W14 x 176	2.380	3/8	3/8	7/16	5/8	1
3/8	7/16	1/2	3/4	15/16	W14 x 193	2.600	3/8	3/8	7/16	9/16	15/16
3/8	3/8	7/16	11/16	7/8	W14 x 211	2.810	3/8	3/8	3/8	9/16	7/8
3/8	3/8	7/16	5/8	13/16	W14 x 233	3.080	3/8	3/8	3/8	1/2	13/16
3/8	3/8	3/8	9/16	3/4	W14 x 257	3.360	3/8	3/8	3/8	1/2	3/4
3/8	3/8	3/8	9/16	11/16	W14 x 283	3.660	3/8	3/8	3/8	7/16	11/16
3/8	3/8	3/8	1/2	5/8	W14 x 311	3.980	3/8	3/8	3/8	7/16	5/8
3/8	3/8	3/8	1/2	5/8	W14 x 342	4.320	3/8	3/8	3/8	3/8	5/8
3/8	3/8	3/8	7/16	9/16	W14 x 370	4.630	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	9/16	W14 x 398	4.930	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	1/2	W14 x 426	5.210	3/8	3/8	3/8	3/8	1/2
3/8	3/8	3/8	3/8	1/2	W14 x 455	5.530	3/8	3/8	3/8	3/8	1/2
3/8	3/8	3/8	3/8	7/16	W14 x 500	5.950	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	7/16	W14 x 550	6.430	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	7/16	W14 x 605	6.960	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	3/8	W14 x 665	7.490	3/8	3/8	3/8	3/8	3/8
3/8	3/8	3/8	3/8	3/8	W14 x 730	8.080	3/8	3/8	3/8	3/8	3/8
5/8	1 1/8	1 1/4	1 15/16	2 1/2	W16 x 26	0.558	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1	1 3/16	1 13/16	2 5/16	W16 x 31	0.661	5/8	7/8	1	1 7/16	2 5/16
9/16	1	1 1/8	1 3/4	2 3/16	W16 x 36	0.702	9/16	7/8	1	1 3/8	2 3/16
9/16	15/16	1 1/16	1 5/8	2 1/16	W16 x 40	0.780	9/16	13/16	15/16	1 5/16	2 1/16
1/2	7/8	1	1 9/16	1 15/16	W16 x 45	0.870	1/2	3/4	7/8	1 1/4	1 15/16
1/2	13/16	15/16	1 7/16	1 7/8	W16 x 50	0.962	1/2	11/16	13/16	1 3/16	1 7/8
7/16	3/4	7/8	1 5/16	1 11/16	W16 x 57	1.090	7/16	11/16	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	W16 x 67	1.090	7/16	11/16	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 9/16	W16 x 77	1.250	7/16	5/8	11/16	1	1 9/16
3/8	5/8	3/4	1 1/8	1 7/16	W16 x 89	1.430	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/16	1 5/16	W16 x 100	1.590	3/8	1/2	5/8	13/16	1 5/16
9/16	1	1 1/8	1 3/4	2 1/4	W18 x 35	0.672	9/16	7/8	1	1 7/16	2 1/4
9/16	15/16	1 1/16	1 5/8	2 1/8	W18 x 40	0.768	9/16	13/16	15/16	1 5/16	2 1/8
1/2	7/8	1	1 9/16	1 15/16	W18 x 46	0.876	1/2	3/4	7/8	1 1/4	1 15/16
1/2	7/8	1	1 1/2	1 15/16	W18 x 50	0.880	1/2	3/4	7/8	1 1/4	1 15/16
1/2	13/16	15/16	1 7/16	1 7/8	W18 x 55	0.963	1/2	11/16	13/16	1 3/16	1 7/8
7/16	13/16	7/8	1 3/8	1 3/4	W18 x 60	1.040	7/16	11/16	13/16	1 1/8	1 3/4
7/16	3/4	7/8	1 5/16	1 11/16	W18 x 65	1.130	7/16	5/8	3/4	1 1/16	1 11/16

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL					
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member	1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x Wt. W/D					
7/16	11/16	13/16	1 1/4	1 9/16	W18 x 71 1.220	7/16	5/8	11/16	1	1 9/16
7/16	3/4	7/8	1 5/16	1 11/16	W18 x 76 1.130	7/16	5/8	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 3/16	1 9/16	W18 x 86 1.270	7/16	5/8	11/16	1	1 9/16
3/8	5/8	3/4	1 1/8	1 7/16	W18 x 97 1.420	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W18 x 106 1.550	3/8	1/2	5/8	7/8	1 3/8
3/8	9/16	5/8	1	1 1/4	W18 x 119 1.720	3/8	1/2	9/16	13/16	1 1/4
9/16	15/16	1 1/16	1 11/16	2 1/8	W21 x 44 0.746	9/16	13/16	15/16	1 3/8	2 1/8
1/2	7/8	1	1 9/16	2	W21 x 50 0.838	1/2	3/4	7/8	1 1/4	2
1/2	13/16	15/16	1 7/16	1 7/8	W21 x 57 0.952	1/2	11/16	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 7/16	1 7/8	W21 x 62 0.952	1/2	11/16	13/16	1 3/16	1 7/8
7/16	13/16	7/8	1 3/8	1 3/4	W21 x 68 1.040	7/16	11/16	13/16	1 1/8	1 3/4
7/16	3/4	7/8	1 5/16	1 11/16	W21 x 73 1.110	7/16	5/8	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 9/16	W21 x 83 1.260	7/16	5/8	11/16	1	1 9/16
3/8	5/8	3/4	1 1/8	1 7/16	W21 x 93 1.400	3/8	9/16	5/8	15/16	1 7/16
3/8	11/16	3/4	1 3/16	1 1/2	W21 x 101 1.300	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	3/4	1 1/8	1 7/16	W21 x 111 1.430	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/16	1 5/16	W21 x 122 1.570	3/8	1/2	5/8	7/8	1 5/16
3/8	9/16	5/8	1	1 1/4	W21 x 132 1.680	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	W21 x 147 1.870	3/8	7/16	9/16	3/4	1 3/16
1/2	7/8	1	1 9/16	2	W24 x 55 0.828	1/2	3/4	7/8	1 1/4	2
1/2	13/16	15/16	1 1/2	1 7/8	W24 x 62 0.934	1/2	3/4	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 1/2	1 7/8	W24 x 68 0.942	1/2	3/4	13/16	1 3/16	1 7/8
7/16	13/16	7/8	1 3/8	1 3/4	W24 x 76 1.050	7/16	11/16	13/16	1 1/8	1 3/4
7/16	3/4	13/16	1 5/16	1 5/8	W24 x 84 1.150	7/16	5/8	3/4	1 1/16	1 5/8
7/16	11/16	13/16	1 3/16	1 9/16	W24 x 94 1.280	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 1/4	1 9/16	W24 x 104 1.240	7/16	5/8	11/16	1	1 9/16
3/8	11/16	3/4	1 1/8	1 7/16	W24 x 117 1.380	3/8	9/16	11/16	15/16	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W24 x 131 1.540	3/8	1/2	5/8	7/8	1 3/8
3/8	9/16	5/8	1	1 1/4	W24 x 146 1.700	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	W24 x 162 1.880	3/8	7/16	9/16	3/4	1 3/16
7/16	13/16	7/8	1 3/8	1 3/4	W27 x 84 1.030	7/16	11/16	13/16	1 1/8	1 3/4
7/16	3/4	13/16	1 5/16	1 5/8	W27 x 94 1.150	7/16	5/8	3/4	1 1/16	1 5/8
7/16	11/16	13/16	1 1/4	1 9/16	W27 x 102 1.240	7/16	5/8	11/16	1	1 9/16
3/8	5/8	3/4	1 1/8	1 7/16	W27 x 114 1.390	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W27 x 129 1.560	3/8	1/2	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	W27 x 146 1.550	3/8	1/2	5/8	7/8	1 3/8
3/8	9/16	5/8	1	1 1/4	W27 x 161 1.700	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	W27 x 178 1.870	3/8	7/16	9/16	3/4	1 3/16
1/2	13/16	15/16	1 3/8	1 13/16	W30 x 90 1.020	1/2	11/16	13/16	1 1/8	1 13/16
7/16	3/4	7/8	1 5/16	1 11/16	W30 x 99 1.120	7/16	5/8	3/4	1 1/16	1 11/16
7/16	11/16	13/16	1 1/4	1 5/8	W30 x 108 1.210	7/16	5/8	11/16	1	1 5/8
3/8	11/16	3/4	1 3/16	1 1/2	W30 x 116 1.300	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	3/4	1 1/8	1 7/16	W30 x 124 1.390	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	11/16	1 1/8	1 3/8	W30 x 132 1.470	3/8	9/16	5/8	7/8	1 3/8
3/8	9/16	11/16	1	1 5/16	W30 x 173 1.660	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	5/8	15/16	1 3/16	W30 x 191 1.850	3/8	7/16	9/16	3/4	1 3/16
3/8	1/2	9/16	7/8	1 1/8	W30 x 211 2.010	3/8	7/16	1/2	11/16	1 1/8
7/16	11/16	13/16	1 1/4	1 5/8	W33 x 118 1.210	7/16	5/8	11/16	1	1 5/8
3/8	11/16	3/4	1 3/16	1 1/2	W33 x 130 1.320	3/8	9/16	11/16	15/16	1 1/2
3/8	5/8	3/4	1 1/8	1 7/16	W33 x 141 1.430	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W33 x 152 1.530	3/8	1/2	5/8	7/8	1 3/8
3/8	9/16	5/8	1	1 1/4	W33 x 169 1.700	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	W33 x 201 1.790	3/8	1/2	9/16	3/4	1 3/16
3/8	1/2	9/16	7/8	1 1/8	W33 x 221 1.970	3/8	7/16	1/2	3/4	1 1/8
3/8	1/2	9/16	13/16	1 1/16	W33 x 241 2.130	3/8	7/16	1/2	11/16	1 1/16
7/16	11/16	13/16	1 3/16	1 9/16	W36 x 135 1.290	7/16	5/8	11/16	1	1 9/16
3/8	5/8	3/4	1 1/8	1 7/16	W36 x 150 1.430	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/16	1 3/8	W36 x 160 1.510	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 5/16	W36 x 170 1.600	3/8	1/2	5/8	13/16	1 5/16
3/8	9/16	5/8	1	1 1/4	W36 x 182 1.720	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	W36 x 194 1.810	3/8	1/2	9/16	3/4	1 3/16

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL						
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member		1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x Wt.	W/D					
3/8	1/2	9/16	7/8	1 1/8	W36 x 210	1.960	3/8	7/16	1/2	3/4	1 1/8
3/8	1/2	9/16	7/8	1 1/8	W36 x 230	1.950	3/8	7/16	1/2	3/4	1 1/8
3/8	1/2	9/16	7/8	1 1/16	W36 x 245	2.080	3/8	7/16	1/2	11/16	1 1/16
3/8	7/16	1/2	3/4	1	W36 x 256	2.370	3/8	3/8	7/16	5/8	1
3/8	1/2	9/16	13/16	1 1/16	W36 x 260	2.180	3/8	7/16	1/2	11/16	1 1/16
3/8	7/16	1/2	13/16	1	W36 x 280	2.350	3/8	3/8	7/16	5/8	1
3/8	7/16	1/2	3/4	15/16	W36 x 300	2.500	3/8	3/8	7/16	5/8	15/16
3/4	1 5/16	1 1/2	2 5/16	2 15/16	Other	0.37	3/4	1 1/8	1 5/16	1 7/8	2 15/16
3/4	1 5/16	1 1/2	2 5/16	2 15/16	Other	0.38	3/4	1 1/8	1 5/16	1 13/16	2 15/16
3/4	1 5/16	1 7/16	2 1/4	2 7/8	Other	0.39	3/4	1 1/8	1 5/16	1 13/16	2 7/8
3/4	1 1/4	1 7/16	2 1/4	2 7/8	Other	0.40	3/4	1 1/8	1 1/4	1 13/16	2 7/8
3/4	1 1/4	1 7/16	2 1/4	2 13/16	Other	0.41	3/4	1 1/16	1 1/4	1 13/16	2 13/16
3/4	1 1/4	1 7/16	2 3/16	2 13/16	Other	0.42	3/4	1 1/16	1 1/4	1 3/4	2 13/16
3/4	1 1/4	1 7/16	2 3/16	2 13/16	Other	0.43	3/4	1 1/16	1 1/4	1 3/4	2 13/16
11/16	1 1/4	1 3/8	2 3/16	2 3/4	Other	0.44	11/16	1 1/16	1 1/4	1 3/4	2 3/4
11/16	1 3/16	1 3/8	2 1/8	2 3/4	Other	0.45	11/16	1 1/16	1 3/16	1 3/4	2 3/4
11/16	1 3/16	1 3/8	2 1/8	2 11/16	Other	0.46	11/16	1 1/16	1 3/16	1 11/16	2 11/16
11/16	1 3/16	1 3/8	2 1/8	2 11/16	Other	0.47	11/16	1	1 3/16	1 11/16	2 11/16
11/16	1 3/16	1 3/8	2 1/16	2 11/16	Other	0.48	11/16	1	1 3/16	1 11/16	2 11/16
11/16	1 3/16	1 5/16	2 1/16	2 5/8	Other	0.49	11/16	1	1 3/16	1 11/16	2 5/8
11/16	1 3/16	1 5/16	2 1/16	2 5/8	Other	0.50	11/16	1	1 3/16	1 5/8	2 5/8
11/16	1 1/8	1 5/16	2	2 9/16	Other	0.51	11/16	1	1 1/8	1 5/8	2 9/16
11/16	1 1/8	1 5/16	2	2 9/16	Other	0.52	11/16	1	1 1/8	1 5/8	2 9/16
11/16	1 1/8	1 5/16	2	2 9/16	Other	0.53	11/16	1	1 1/8	1 5/8	2 9/16
5/8	1 1/8	1 1/4	2	2 1/2	Other	0.54	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/8	1 1/4	1 15/16	2 1/2	Other	0.55	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/8	1 1/4	1 15/16	2 1/2	Other	0.56	5/8	15/16	1 1/8	1 9/16	2 1/2
5/8	1 1/16	1 1/4	1 15/16	2 7/16	Other	0.57	5/8	15/16	1 1/16	1 9/16	2 7/16
5/8	1 1/16	1 1/4	1 15/16	2 7/16	Other	0.58	5/8	15/16	1 1/16	1 9/16	2 7/16
5/8	1 1/16	1 1/4	1 7/8	2 7/16	Other	0.59	5/8	15/16	1 1/16	1 1/2	2 7/16
5/8	1 1/16	1 3/16	1 7/8	2 3/8	Other	0.60	5/8	15/16	1 1/16	1 1/2	2 3/8
5/8	1 1/16	1 3/16	1 7/8	2 3/8	Other	0.61	5/8	15/16	1 1/16	1 1/2	2 3/8
5/8	1 1/16	1 3/16	1 7/8	2 3/8	Other	0.62	5/8	7/8	1 1/16	1 1/2	2 3/8
5/8	1 1/16	1 3/16	1 13/16	2 5/16	Other	0.63	5/8	7/8	1 1/16	1 1/2	2 5/16
5/8	1 1/16	1 3/16	1 13/16	2 5/16	Other	0.64	5/8	7/8	1 1/16	1 7/16	2 5/16
5/8	1	1 3/16	1 13/16	2 5/16	Other	0.65	5/8	7/8	1	1 7/16	2 5/16
5/8	1	1 3/16	1 13/16	2 5/16	Other	0.66	5/8	7/8	1	1 7/16	2 5/16
9/16	1	1 1/8	1 3/4	2 1/4	Other	0.67	9/16	7/8	1	1 7/16	2 1/4
9/16	1	1 1/8	1 3/4	2 1/4	Other	0.68	9/16	7/8	1	1 7/16	2 1/4
9/16	1	1 1/8	1 3/4	2 1/4	Other	0.69	9/16	7/8	1	1 3/8	2 1/4
9/16	1	1 1/8	1 3/4	2 3/16	Other	0.70	9/16	7/8	1	1 3/8	2 3/16
9/16	1	1 1/8	1 3/4	2 3/16	Other	0.71	9/16	13/16	1	1 3/8	2 3/16
9/16	1	1 1/8	1 11/16	2 3/16	Other	0.72	9/16	13/16	1	1 3/8	2 3/16
9/16	15/16	1 1/8	1 11/16	2 3/16	Other	0.73	9/16	13/16	15/16	1 3/8	2 3/16
9/16	15/16	1 1/16	1 11/16	2 1/8	Other	0.74	9/16	13/16	15/16	1 3/8	2 1/8
9/16	15/16	1 1/16	1 11/16	2 1/8	Other	0.75	9/16	13/16	15/16	1 3/8	2 1/8
9/16	15/16	1 1/16	1 11/16	2 1/8	Other	0.76	9/16	13/16	15/16	1 5/16	2 1/8
9/16	15/16	1 1/16	1 5/8	2 1/8	Other	0.77	9/16	13/16	15/16	1 5/16	2 1/8
9/16	15/16	1 1/16	1 5/8	2 1/16	Other	0.78	9/16	13/16	15/16	1 5/16	2 1/16
9/16	15/16	1 1/16	1 5/8	2 1/16	Other	0.79	9/16	13/16	15/16	1 5/16	2 1/16
9/16	15/16	1 1/16	1 5/8	2 1/16	Other	0.80	9/16	13/16	15/16	1 5/16	2 1/16
9/16	15/16	1 1/16	1 5/8	2 1/16	Other	0.81	9/16	13/16	15/16	1 5/16	2 1/16
1/2	7/8	1	1 9/16	2	Other	0.82	1/2	3/4	7/8	1 1/4	2
1/2	7/8	1	1 9/16	2	Other	0.83	1/2	3/4	7/8	1 1/4	2
1/2	7/8	1	1 9/16	2	Other	0.84	1/2	3/4	7/8	1 1/4	2
1/2	7/8	1	1 9/16	2	Other	0.85	1/2	3/4	7/8	1 1/4	2
1/2	7/8	1	1 9/16	2	Other	0.86	1/2	3/4	7/8	1 1/4	2
1/2	7/8	1	1 9/16	1 15/16	Other	0.87	1/2	3/4	7/8	1 1/4	1 15/16
1/2	7/8	1	1 1/2	1 15/16	Other	0.88	1/2	3/4	7/8	1 1/4	1 15/16
1/2	7/8	1	1 1/2	1 15/16	Other	0.89	1/2	3/4	7/8	1 1/4	1 15/16
1/2	7/8	1	1 1/2	1 15/16	Other	0.90	1/2	3/4	7/8	1 3/16	1 15/16

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL						
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member		1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x	Wt.	W/D				
1/2	7/8	1	1 1/2	1 15/16	Other	0.91	1/2	3/4	7/8	1 3/16	1 15/16
1/2	7/8	15/16	1 1/2	1 7/8	Other	0.92	1/2	3/4	7/8	1 3/16	1 7/8
1/2	13/16	15/16	1 1/2	1 7/8	Other	0.93	1/2	3/4	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 1/2	1 7/8	Other	0.94	1/2	3/4	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 7/16	1 7/8	Other	0.95	1/2	11/16	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 7/16	1 7/8	Other	0.96	1/2	11/16	13/16	1 3/16	1 7/8
1/2	13/16	15/16	1 7/16	1 13/16	Other	0.97	1/2	11/16	13/16	1 3/16	1 13/16
1/2	13/16	15/16	1 7/16	1 13/16	Other	0.98	1/2	11/16	13/16	1 1/8	1 13/16
1/2	13/16	15/16	1 7/16	1 13/16	Other	0.99	1/2	11/16	13/16	1 1/8	1 13/16
1/2	13/16	15/16	1 7/16	1 13/16	Other	1.00	1/2	11/16	13/16	1 1/8	1 13/16
1/2	13/16	15/16	1 7/16	1 13/16	Other	1.01	1/2	11/16	13/16	1 1/8	1 13/16
1/2	13/16	15/16	1 3/8	1 13/16	Other	1.02	1/2	11/16	13/16	1 1/8	1 13/16
7/16	13/16	7/8	1 3/8	1 3/4	Other	1.03	7/16	11/16	13/16	1 1/8	1 3/4
7/16	13/16	7/8	1 3/8	1 3/4	Other	1.04	7/16	11/16	13/16	1 1/8	1 3/4
7/16	13/16	7/8	1 3/8	1 3/4	Other	1.05	7/16	11/16	13/16	1 1/8	1 3/4
7/16	3/4	7/8	1 3/8	1 3/4	Other	1.06	7/16	11/16	3/4	1 1/8	1 3/4
7/16	3/4	7/8	1 3/8	1 3/4	Other	1.07	7/16	11/16	3/4	1 1/16	1 3/4
7/16	3/4	7/8	1 3/8	1 3/4	Other	1.08	7/16	11/16	3/4	1 1/16	1 3/4
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.09	7/16	11/16	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.10	7/16	11/16	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.11	7/16	5/8	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.12	7/16	5/8	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.13	7/16	5/8	3/4	1 1/16	1 11/16
7/16	3/4	7/8	1 5/16	1 11/16	Other	1.14	7/16	5/8	3/4	1 1/16	1 11/16
7/16	3/4	13/16	1 5/16	1 5/8	Other	1.15	7/16	5/8	3/4	1 1/16	1 5/8
7/16	3/4	13/16	1 5/16	1 5/8	Other	1.16	7/16	5/8	3/4	1 1/16	1 5/8
7/16	3/4	13/16	1 5/16	1 5/8	Other	1.17	7/16	5/8	3/4	1 1/16	1 5/8
7/16	3/4	13/16	1 1/4	1 5/8	Other	1.18	7/16	5/8	3/4	1	1 5/8
7/16	3/4	13/16	1 1/4	1 5/8	Other	1.19	7/16	5/8	3/4	1	1 5/8
7/16	3/4	13/16	1 1/4	1 5/8	Other	1.20	7/16	5/8	3/4	1	1 5/8
7/16	11/16	13/16	1 1/4	1 5/8	Other	1.21	7/16	5/8	11/16	1	1 5/8
7/16	11/16	13/16	1 1/4	1 9/16	Other	1.22	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 1/4	1 9/16	Other	1.23	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 1/4	1 9/16	Other	1.24	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 1/4	1 9/16	Other	1.25	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 1/4	1 9/16	Other	1.26	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 3/16	1 9/16	Other	1.27	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 3/16	1 9/16	Other	1.28	7/16	5/8	11/16	1	1 9/16
7/16	11/16	13/16	1 3/16	1 9/16	Other	1.29	7/16	5/8	11/16	1	1 9/16
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.30	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.31	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.32	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.33	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.34	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.35	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.36	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 3/16	1 1/2	Other	1.37	3/8	9/16	11/16	15/16	1 1/2
3/8	11/16	3/4	1 1/8	1 7/16	Other	1.38	3/8	9/16	11/16	15/16	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.39	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.40	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.41	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.42	3/8	9/16	5/8	15/16	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.43	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.44	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.45	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	3/4	1 1/8	1 7/16	Other	1.46	3/8	9/16	5/8	7/8	1 7/16
3/8	5/8	11/16	1 1/8	1 3/8	Other	1.47	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/8	1 3/8	Other	1.48	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other	1.49	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other	1.50	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other	1.51	3/8	9/16	5/8	7/8	1 3/8

Protected Floor/Ceiling - 2 1/2" Minimum Concrete, Fluted/Cellular Deck

Products:	Monokote® MK-6/HY, MK-6s, Z-106, Z-106/G, Z-146 and Retro-Guard® RG	Unrestrained Beam	
Flange Protection:	Full Flange Thickness	U.L. Design No.	D739
Concrete Weight:	NWC and LWC	ICBO 4607 Table	2A

LIGHTWEIGHT CONCRETE FILL					NORMAL WEIGHT CONCRETE FILL					
1 hr	1.5 hr	2 hr	3 hr	4 hr	Member	1 hr	1.5 hr	2 hr	3 hr	4 hr
					Size x Wt.	W/D				
3/8	5/8	11/16	1 1/16	1 3/8	Other 1.52	3/8	9/16	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other 1.53	3/8	1/2	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other 1.54	3/8	1/2	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other 1.55	3/8	1/2	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 3/8	Other 1.56	3/8	1/2	5/8	7/8	1 3/8
3/8	5/8	11/16	1 1/16	1 5/16	Other 1.57	3/8	1/2	5/8	7/8	1 5/16
3/8	5/8	11/16	1 1/16	1 5/16	Other 1.58	3/8	1/2	5/8	7/8	1 5/16
3/8	5/8	11/16	1 1/16	1 5/16	Other 1.59	3/8	1/2	5/8	13/16	1 5/16
3/8	5/8	11/16	1 1/16	1 5/16	Other 1.60	3/8	1/2	5/8	13/16	1 5/16
3/8	9/16	11/16	1 1/16	1 5/16	Other 1.61	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.62	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.63	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.64	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.65	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.66	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	11/16	1	1 5/16	Other 1.67	3/8	1/2	9/16	13/16	1 5/16
3/8	9/16	5/8	1	1 1/4	Other 1.68	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	1	1 1/4	Other 1.69	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	1	1 1/4	Other 1.70	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	1	1 1/4	Other 1.75	3/8	1/2	9/16	13/16	1 1/4
3/8	9/16	5/8	15/16	1 3/16	Other 1.80	3/8	1/2	9/16	3/4	1 3/16
3/8	9/16	5/8	15/16	1 3/16	Other 1.85	3/8	7/16	9/16	3/4	1 3/16
3/8	1/2	5/8	15/16	1 3/16	Other 1.90	3/8	7/16	1/2	3/4	1 3/16
3/8	1/2	9/16	7/8	1 1/8	Other 1.95	3/8	7/16	1/2	3/4	1 1/8
3/8	1/2	9/16	7/8	1 1/8	Other 2.00	3/8	7/16	1/2	11/16	1 1/8
3/8	7/16	1/2	13/16	1	Other 2.25	3/8	3/8	7/16	5/8	1
3/8	7/16	1/2	3/4	15/16	Other 2.50	3/8	3/8	7/16	5/8	15/16
3/8	3/8	7/16	11/16	7/8	Other 2.75	3/8	3/8	3/8	9/16	7/8
3/8	3/8	7/16	5/8	13/16	Other 3.00	3/8	3/8	3/8	1/2	13/16
3/8	3/8	3/8	5/8	3/4	Other 3.25	3/8	3/8	3/8	1/2	3/4
3/8	3/8	3/8	9/16	3/4	Other 3.50	3/8	3/8	3/8	7/16	3/4
3/8	3/8	3/8	9/16	11/16	Other 3.75	3/8	3/8	3/8	7/16	11/16
3/8	3/8	3/8	1/2	5/8	Other 4.00	3/8	3/8	3/8	7/16	5/8
3/8	3/8	3/8	1/2	5/8	Other 4.25	3/8	3/8	3/8	3/8	5/8
3/8	3/8	3/8	7/16	9/16	Other 4.50	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	9/16	Other 4.75	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	9/16	Other 5.00	3/8	3/8	3/8	3/8	9/16
3/8	3/8	3/8	7/16	1/2	Other 5.25	3/8	3/8	3/8	3/8	1/2
3/8	3/8	3/8	3/8	1/2	Other 5.50	3/8	3/8	3/8	3/8	1/2
3/8	3/8	3/8	3/8	1/2	Other 5.75	3/8	3/8	3/8	3/8	1/2
3/8	3/8	3/8	3/8	7/16	Other 6.00	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	7/16	Other 6.25	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	7/16	Other 6.50	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	7/16	Other 6.75	3/8	3/8	3/8	3/8	7/16
3/8	3/8	3/8	3/8	3/8	Other 7.00	3/8	3/8	3/8	3/8	3/8
3/8	3/8	3/8	3/8	3/8	Other 8.00	3/8	3/8	3/8	3/8	3/8